

6.1**Properties of Exponents**

For use with Exploration 6.1

Essential Question How can you write general rules involving properties of exponents?

1 EXPLORATION: Writing Rules for Properties of Exponents

Work with a partner.

- a. What happens when you multiply two powers with the same base? Write the product of the two powers as a single power. Then write a *general rule* for finding the product of two powers with the same base.

i. $(2^2)(2^3) = \underline{\hspace{2cm}}$

ii. $(4^1)(4^5) = \underline{\hspace{2cm}}$

iii. $(5^3)(5^5) = \underline{\hspace{2cm}}$

iv. $(x^2)(x^6) = \underline{\hspace{2cm}}$

- b. What happens when you divide two powers with the same base? Write the quotient of the two powers as a single power. Then write a *general rule* for finding the quotient of two powers with the same base.

i. $\frac{4^3}{4^2} = \underline{\hspace{2cm}}$

ii. $\frac{2^5}{2^2} = \underline{\hspace{2cm}}$

iii. $\frac{x^6}{x^3} = \underline{\hspace{2cm}}$

iv. $\frac{3^4}{3^4} = \underline{\hspace{2cm}}$

- c. What happens when you find a power of a power? Write the expression as a single power. Then write a *general rule* for finding a power of a power.

i. $(2^2)^4 = \underline{\hspace{2cm}}$

ii. $(7^3)^2 = \underline{\hspace{2cm}}$

iii. $(y^3)^3 = \underline{\hspace{2cm}}$

iv. $(x^4)^2 = \underline{\hspace{2cm}}$

6.1 Properties of Exponents (continued)**1 EXPLORATION:** Writing Rules for Properties of Exponents (continued)

- d. What happens when you find a power of a product? Write the expression as the product of two powers. Then write a *general rule* for finding a power of a product.

i. $(2 \cdot 5)^2 = \underline{\hspace{2cm}}$

ii. $(5 \cdot 4)^3 = \underline{\hspace{2cm}}$

iii. $(6a)^2 = \underline{\hspace{2cm}}$

iv. $(3x)^2 = \underline{\hspace{2cm}}$

- e. What happens when you find a power of a quotient? Write the expression as the quotient of two powers. Then write a *general rule* for finding a power of a quotient.

i. $\left(\frac{2}{3}\right)^2 = \underline{\hspace{2cm}}$

ii. $\left(\frac{4}{3}\right)^3 = \underline{\hspace{2cm}}$


iii. $\left(\frac{x}{2}\right)^3 = \underline{\hspace{2cm}}$

iv. $\left(\frac{a}{b}\right)^4 = \underline{\hspace{2cm}}$

Communicate Your Answer

2. How can you write general rules involving properties of exponents?

3. There are 3^3 small cubes in the cube below. Write an expression for the number of small cubes in the large cube at the right.



6.1**Notetaking with Vocabulary**

For use after Lesson 6.1

In your own words, write the meaning of each vocabulary term.

power

exponent

base

scientific notation

Core Concepts**Zero Exponent****Words** For any nonzero number a , $a^0 = 1$. The power 0^0 is undefined.**Numbers** $4^0 = 1$ **Algebra** $a^0 = 1$, where $a \neq 0$ **Negative Exponents****Words** For any integer n and any nonzero number a , a^{-n} is the reciprocal of a^n .**Numbers** $4^{-2} = \frac{1}{4^2}$ **Algebra** $a^{-n} = \frac{1}{a^n}$, where $a \neq 0$ **Notes:**

6.1 Notetaking with Vocabulary (continued)**Product of Powers Property**

Let a be a real number, and let m and n be integers.

Words To multiply powers with the same base, add their exponents.

Numbers $4^6 \cdot 4^3 = 4^{6+3} = 4^9$ **Algebra** $a^m \cdot a^n = a^{m+n}$

Quotient of Powers Property

Let a be a nonzero real number, and let m and n be integers.

Words To divide powers with the same base, subtract their exponents.

Numbers $\frac{4^6}{4^3} = 4^{6-3} = 4^3$ **Algebra** $\frac{a^m}{a^n} = a^{m-n}$, where $a \neq 0$

Power of a Power Property

Let a be a real number, and let m and n be integers.

Words To find a power of a power, multiply the exponents.

Numbers $(4^6)^3 = 4^{6 \cdot 3} = 4^{18}$ **Algebra** $(a^m)^n = a^{mn}$

Notes:

Power of a Product Property

Let a and b be real numbers, and let m be an integer.

Words To find a power of a product, find the power of each factor and multiply.

Numbers $(3 \cdot 2)^5 = 3^5 \cdot 2^5$ **Algebra** $(ab)^m = a^m b^m$

Power of a Quotient Property

Let a and b be real numbers with $b \neq 0$, and let m be an integer.

Words To find the power of a quotient, find the power of the numerator and the power of the denominator and divide.

Numbers $\left(\frac{3}{2}\right)^5 = \frac{3^5}{2^5}$ **Algebra** $\left(\frac{a}{b}\right)^m = \frac{a^m}{b^m}$, where $b \neq 0$

Notes:

6.1 Notetaking with Vocabulary (continued)**Extra Practice**

In Exercises 1–8, evaluate the expression.

1. 3^0

2. $(-2)^0$

3. 3^{-4}

4. $(-4)^{-3}$

5. $\frac{2^{-3}}{5^0}$

6. $\frac{-3^{-2}}{2^{-3}}$

7. $\frac{4^{-1}}{-7^0}$

8. $\frac{3^{-1}}{(-5)^0}$

In Exercises 9–23, simplify the expression. Write your answer using only positive exponents.

9. z^0

10. a^{-8}

11. $6a^0b^{-2}$

12. $14m^{-4}n^0$

13. $\frac{3^{-2}r^{-3}}{s^0}$

14. $\frac{2^3a^{-3}}{8^{-1}b^{-5}c^0}$

15. $\frac{3^5}{3^3}$

16. $\frac{(-2)^7}{(-2)^5}$

17. $(-5)^3 \cdot (-5)^3$

18. $(q^5)^3$

19. $(a^{-4})^2$

20. $\frac{c^4 \cdot c^3}{c^6}$

21. $(-4d)^4$

22. $(-3f)^{-3}$

23. $\left(\frac{4}{x}\right)^{-3}$

24. A rectangular prism has length x , width $\frac{x}{2}$, and height $\frac{x}{3}$. Which of the expressions represent the volume of the prism? Select all that apply.

A. $6^{-1}x^3$

B. $6^{-1}x^{-3}$

C. $(6x^{-3})^{-1}$

D. $2^{-1} \cdot 3^{-1} \cdot x^3$